TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

Job Number: 580-15162-1

Job Description: Rainier Commons

For:
Clean Harbors Environmental Services Inc
19320 Des Moines Memorial Dr
Bldg D, Suite 400
Seatac, WA 98148

Attention: Shawn Estrada

Pamela R. Johnson

Approved for release.
Pam R Johnson
Project Mgmt. Assistant
9/1/2009 3:45 PM

Designee for
Heather Curbow
Project Manager I
heather.curbow@testamericainc.com
09/01/2009

TestAmerica Tacoma is a part of TestAmerica Laboratories, Inc.

The results included in this report have been reviewed for compliance with the laboratory QA/QC plan and meet all requirements of NELAC. All data have been found to be compliant with laboratory protocol, with the exception of any items noted in the case narrative.

TestAmerica Laboratories, Inc.
TestAmerica Tacoma 5755 8th Street East, Tacoma, WA 98424
Tel (253) 922-2310 Fax (253) 922-5047 www.testamericainc.com

ACCREDITED IN ACCORDANCE WITH nelac

Job Narrative
580-J15162-1

Comments
No additional comments.

Receipt
All samples were received in good condition within temperature requirements.

GC Semi VOA - Method 8082
The recovery of the surrogate DCB in the LCS exceeded quality control limits. The recovery was high and no target analytes were detected in the samples. No further action was taken on this outlier.

No other analytical or quality issues were noted.

Metals
No analytical or quality issues were noted.

General Chemistry
No analytical or quality issues were noted.

Organic Prep
No analytical or quality issues were noted.

METHOD SUMMARY

Client: Clean Harbors Environmental Services Inc

Job Number: 580-15162-1

Description	Lab Location	Method	Preparation Method
Matrix: Waste			
Polychlorinated Biphenyls (PCBs) by Gas Chromatography	TAL TAC	SW846 8082	
Waste Dilution	TAL TAC		SW846 3580A
Metals (ICP)	TAL TAC	SW846 6010B	
TCLP Extraction	TAL TAC		SW846 1311
Preparation, Total Metals	TAL TAC		SW846 3010A

Lab References:

TAL TAC = TestAmerica Tacoma

Method References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

SAMPLE SUMMARY

Client: Clean Harbors Environmental Services Inc

Job Number: 580-15162-1

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
580-15162-1	RC001	Waste	08/27/2009 1530	08/27/2009 1755
580-15162-2	RC002	Waste	08/27/2009 1530	08/27/2009 1755
580-15162-3	RC003	Waste	08/27/2009 1530	08/27/2009 1755
580-15162-4	RC004	Waste	08/27/2009 1530	08/27/2009 1755
580-15162-5	RC005	Waste	08/27/2009 1530	08/27/2009 1755
580-15162-6	RC006	Waste	08/27/2009 1530	08/27/2009 1755

Client: Clean Harbors Environmental Services Inc

Job Number: 580-15162-1

Client Sample ID: **RC001**

Lab Sample ID: 580-15162-1
Client Matrix: Waste

Date Sampled: 08/27/2009 1530
Date Received: 08/27/2009 1755

8082 Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Method:	8082	Analysis Batch: 580-49366		Instrument ID:	TAC034
Preparation:	3580A	Prep Batch: 580-49276		Initial Weight/Volume:	2.1108 g
Dilution:	1.0			Final Weight/Volume:	10 mL
Date Analyzed:	08/29/2009 1536			Injection Volume:	1.0 uL
Date Prepared:	08/27/2009 2036			Result Type:	PRIMARY

Analyte	DryWt Corrected: N	Result (mg/Kg)	Qualifier	RL
PCB-1016		ND		0.047
PCB-1221		ND		0.047
PCB-1232		ND		0.047
PCB-1242		ND		0.047
PCB-1248		ND		0.047
PCB-1254		3.9		0.047
PCB-1260		2.9		0.047

Surrogate	%Rec	Qualifier	Acceptance Limits
Tetrachloro-m-xylene	116		45 - 155
DCB Decachlorobiphenyl	124		60 - 125

Client: Clean Harbors Environmental Services Inc

Job Number: 580-15162-1

Client Sample ID: **RC002**

Lab Sample ID: 580-15162-2
Client Matrix: Waste

Date Sampled: 08/27/2009 1530
Date Received: 08/27/2009 1755

8082 Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Method:	8082	Analysis Batch: 580-49366		Instrument ID:	TAC034
Preparation:	3580A	Prep Batch: 580-49276		Initial Weight/Volume:	1.9970 g
Dilution:	1.0			Final Weight/Volume:	10 mL
Date Analyzed:	08/29/2009 1551			Injection Volume:	1.0 uL
Date Prepared:	08/27/2009 2036			Result Type:	PRIMARY

Analyte	DryWt Corrected: N	Result (mg/Kg)	Qualifier	RL
PCB-1016		ND		0.050
PCB-1221		ND		0.050
PCB-1232		ND		0.050
PCB-1242		ND		0.050
PCB-1248		ND		0.050
PCB-1254		1.3		0.050
PCB-1260		ND		0.050

Surrogate	%Rec	Qualifier	Acceptance Limits
Tetrachloro-m-xylene	119		45 - 155
DCB Decachlorobiphenyl	113		60 - 125

Client: Clean Harbors Environmental Services Inc

Job Number: 580-15162-1

Client Sample ID: **RC003**

Lab Sample ID: 580-15162-3
Client Matrix: Waste

Date Sampled: 08/27/2009 1530
Date Received: 08/27/2009 1755

8082 Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Method:	8082	Analysis Batch: 580-49366		Instrument ID:	TAC034
Preparation:	3580A	Prep Batch: 580-49276		Initial Weight/Volume:	2.0787 g
Dilution:	1.0			Final Weight/Volume:	10 mL
Date Analyzed:	08/29/2009 1607			Injection Volume:	1.0 uL
Date Prepared:	08/27/2009 2036			Result Type:	PRIMARY

Analyte	DryWt Corrected: N	Result (mg/Kg)	Qualifier	RL
PCB-1016		ND		0.048
PCB-1221		ND		0.048
PCB-1232		ND		0.048
PCB-1242		ND		0.048
PCB-1248		ND		0.048
PCB-1254		0.15		0.048
PCB-1260		ND		0.048

Surrogate	%Rec	Qualifier	Acceptance Limits
Tetrachloro-m-xylene	123		45 - 155
DCB Decachlorobiphenyl	123		60 - 125

Client: Clean Harbors Environmental Services Inc

Job Number: 580-15162-1

Client Sample ID: **RC004**

Lab Sample ID: 580-15162-4
Client Matrix: Waste

Date Sampled: 08/27/2009 1530
Date Received: 08/27/2009 1755

8082 Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Method:	8082	Analysis Batch: 580-49366		Instrument ID:	TAC034
Preparation:	3580A	Prep Batch: 580-49276		Initial Weight/Volume:	2.0151 g
Dilution:	1.0			Final Weight/Volume:	10 mL
Date Analyzed:	08/29/2009 1622			Injection Volume:	1.0 uL
Date Prepared:	08/27/2009 2036			Result Type:	PRIMARY

Analyte	DryWt Corrected: N	Result (mg/Kg)	Qualifier	RL
PCB-1016		ND		0.050
PCB-1221		ND		0.050
PCB-1232		ND		0.050
PCB-1242		ND		0.050
PCB-1248		ND		0.050
PCB-1254		0.43		0.050
PCB-1260		0.37		0.050

Surrogate	%Rec	Qualifier	Acceptance Limits
Tetrachloro-m-xylene	116		45 - 155
DCB Decachlorobiphenyl	112		60 - 125

Client: Clean Harbors Environmental Services Inc

Job Number: 580-15162-1

Client Sample ID: **RC005**

Lab Sample ID: 580-15162-5
Client Matrix: Waste

Date Sampled: 08/27/2009 1530
Date Received: 08/27/2009 1755

8082 Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Method:	8082	Analysis Batch: 580-49366	Instrument ID: TAC034
Preparation:	3580A	Prep Batch: 580-49276	Initial Weight/Volume: 2.1071 g
Dilution:	1.0		Final Weight/Volume: 10 mL
Date Analyzed:	08/29/2009 1638		Injection Volume: 1.0 uL
Date Prepared:	08/27/2009 2036		Result Type: PRIMARY

Analyte	DryWt Corrected: N	Result (mg/Kg)	Qualifier	RL
PCB-1016		ND		0.047
PCB-1221		ND		0.047
PCB-1232		ND		0.047
PCB-1242		ND		0.047
PCB-1248		ND		0.047
PCB-1254		0.39		0.047
PCB-1260		0.31		0.047

Surrogate	%Rec	Qualifier	Acceptance Limits
Tetrachloro-m-xylene	120		45 - 155
DCB Decachlorobiphenyl	108		60 - 125

Client: Clean Harbors Environmental Services Inc

Job Number: 580-15162-1

Client Sample ID: **RC006**

Lab Sample ID: 580-15162-6
Client Matrix: Waste

Date Sampled: 08/27/2009 1530
Date Received: 08/27/2009 1755

8082 Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Method:	8082	Analysis Batch: 580-49366		Instrument ID:	TAC034
Preparation:	3580A	Prep Batch: 580-49276		Initial Weight/Volume:	2.0220 g
Dilution:	1.0			Final Weight/Volume:	10 mL
Date Analyzed:	08/29/2009 1653			Injection Volume:	1.0 uL
Date Prepared:	08/27/2009 2036			Result Type:	PRIMARY

Analyte	DryWt Corrected: N	Result (mg/Kg)	Qualifier	RL
PCB-1016		ND		0.049
PCB-1221		ND		0.049
PCB-1232		ND		0.049
PCB-1242		ND		0.049
PCB-1248		ND		0.049
PCB-1254		ND		0.049
PCB-1260		ND		0.049

Surrogate	%Rec	Qualifier	Acceptance Limits
Tetrachloro-m-xylene	124		45 - 155
DCB Decachlorobiphenyl	122		60 - 125

Client: Clean Harbors Environmental Services Inc

Job Number: 580-15162-1

Client Sample ID: **RC001**

Lab Sample ID: 580-15162-1
Client Matrix: Waste

Date Sampled: 08/27/2009 1530
Date Received: 08/27/2009 1755

6010B Metals (ICP)-TCLP

Method:	6010B	Analysis Batch: 580-49465		Instrument ID:	SEA027
Preparation:	3010A	Prep Batch: 580-49405		Lab File ID:	N/A
Dilution:	1.0	Leachate Batch: 580-49332		Initial Weight/Volume:	50 mL
Date Analyzed:	08/31/2009 1632			Final Weight/Volume:	50 mL
Date Prepared:	08/31/2009 1028				
Date Leached:	08/28/2009 1416				

Analyte	DryWt Corrected: N	Result (mg/L)	Qualifier	RL
Lead		0.031		0.030

Client: Clean Harbors Environmental Services Inc

Job Number: 580-15162-1

Client Sample ID: RC002

Lab Sample ID: 580-15162-2
Client Matrix: Waste

Date Sampled: 08/27/2009 1530
Date Received: 08/27/2009 1755

6010B Metals (ICP)-TCLP

Method:	6010B	Analysis Batch: 580-49465		Instrument ID:	SEA027
Preparation:	3010A	Prep Batch: 580-49405		Lab File ID:	N/A
Dilution:	1.0	Leachate Batch: 580-49332		Initial Weight/Volume:	50 mL
Date Analyzed:	08/31/2009 1708			Final Weight/Volume:	50 mL
Date Prepared:	08/31/2009 1028				
Date Leached:	08/28/2009 1416				

Analyte	DryWt Corrected: N	Result (mg/L)	Qualifier	RL
Lead		ND		0.030

Client: Clean Harbors Environmental Services Inc

Job Number: 580-15162-1

Client Sample ID: **RC003**

Lab Sample ID: 580-15162-3
Client Matrix: Waste

Date Sampled: 08/27/2009 1530
Date Received: 08/27/2009 1755

6010B Metals (ICP)-TCLP

Method:	6010B	Analysis Batch: 580-49465		Instrument ID:	SEA027
Preparation:	3010A	Prep Batch: 580-49405		Lab File ID:	N/A
Dilution:	1.0	Leachate Batch: 580-49332		Initial Weight/Volume:	50 mL
Date Analyzed:	08/31/2009 1712			Final Weight/Volume:	50 mL
Date Prepared:	08/31/2009 1028				
Date Leached:	08/28/2009 1416				

Analyte	DryWt Corrected: N	Result (mg/L)	Qualifier	RL
Lead		0.047		0.030

Client: Clean Harbors Environmental Services Inc

Job Number: 580-15162-1

Client Sample ID: **RC004**

Lab Sample ID: 580-15162-4
Client Matrix: Waste

Date Sampled: 08/27/2009 1530
Date Received: 08/27/2009 1755

6010B Metals (ICP)-TCLP

Method:	6010B	Analysis Batch: 580-49465		Instrument ID:	SEA027
Preparation:	3010A	Prep Batch: 580-49405		Lab File ID:	N/A
Dilution:	1.0	Leachate Batch: 580-49332		Initial Weight/Volume:	50 mL
Date Analyzed:	08/31/2009 1716			Final Weight/Volume:	50 mL
Date Prepared:	08/31/2009 1028				
Date Leached:	08/28/2009 1416				

Analyte	DryWt Corrected: N	Result (mg/L)	Qualifier	RL
Lead		0.036		0.030

Client: Clean Harbors Environmental Services Inc

Job Number: 580-15162-1

Client Sample ID: **RC005**

Lab Sample ID: 580-15162-5
Client Matrix: Waste

Date Sampled: 08/27/2009 1530
Date Received: 08/27/2009 1755

6010B Metals (ICP)-TCLP

Method:	6010B	Analysis Batch: 580-49465		Instrument ID:	SEA027
Preparation:	3010A	Prep Batch: 580-49405		Lab File ID:	N/A
Dilution:	1.0	Leachate Batch: 580-49332		Initial Weight/Volume:	50 mL
Date Analyzed:	08/31/2009 1721			Final Weight/Volume:	50 mL
Date Prepared:	08/31/2009 1028				
Date Leached:	08/28/2009 1416				

Analyte	DryWt Corrected: N	Result (mg/L)	Qualifier	RL
Lead		ND		0.030

Client: Clean Harbors Environmental Services Inc | Job Number: 580-15162-1

Client Sample ID: **RC006**

Lab Sample ID: 580-15162-6 | Date Sampled: 08/27/2009 1530
Client Matrix: Waste | Date Received: 08/27/2009 1755

6010B Metals (ICP)-TCLP

Method:	6010B	Analysis Batch: 580-49465		Instrument ID:	SEA027
Preparation:	3010A	Prep Batch: 580-49405		Lab File ID:	N/A
Dilution:	1.0	Leachate Batch: 580-49332		Initial Weight/Volume:	50 mL
Date Analyzed:	08/31/2009 1725			Final Weight/Volume:	50 mL
Date Prepared:	08/31/2009 1028				
Date Leached:	08/28/2009 1416				

Analyte	DryWt Corrected: N	Result (mg/L)	Qualifier	RL
Lead		ND		0.030

DATA REPORTING QUALIFIERS

Client: Clean Harbors Environmental Services Inc

Job Number: 580-15162-1

Lab Section	Qualifier	Description
GC Semi VOA		
	X	Surrogate exceeds the control limits

Client: Clean Harbors Environmental Services Inc

Job Number: 580-15162-1

Method Blank - Batch: 580-49276

Method: 8082
Preparation: 3580A

Lab Sample ID: MB 580-49276/1-A
Client Matrix: Waste
Dilution: 1.0
Date Analyzed: 08/29/2009 1709
Date Prepared: 08/27/2009 2036

Analysis Batch: 580-49366
Prep Batch: 580-49276
Units: mg/Kg

Instrument ID: TAC034
Lab File ID: PCB23427.D
Initial Weight/Volume: 2 g
Final Weight/Volume: 10 mL
Injection Volume: 1.0 uL
Column ID: PRIMARY

Analyte	Result	Qual	RL
PCB-1016	ND		0.050
PCB-1221	ND		0.050
PCB-1232	ND		0.050
PCB-1242	ND		0.050
PCB-1248	ND		0.050
PCB-1254	ND		0.050
PCB-1260	ND		0.050

Surrogate	% Rec	Acceptance Limits
Tetrachloro-m-xylene	122	45 - 155
DCB Decachlorobiphenyl	123	60 - 125

Lab Control Sample - Batch: 580-49276

Method: 8082
Preparation: 3580A

Lab Sample ID: LCS 580-49276/2-A
Client Matrix: Waste
Dilution: 1.0
Date Analyzed: 08/29/2009 1724
Date Prepared: 08/27/2009 2036

Analysis Batch: 580-49366
Prep Batch: 580-49276
Units: mg/Kg

Instrument ID: TAC034
Lab File ID: PCB23428.D
Initial Weight/Volume: 2 g
Final Weight/Volume: 10 mL
Injection Volume: 1.0 uL
Column ID: PRIMARY

Analyte	Spike Amount	Result	% Rec.	Limit	Qual
PCB-1016	0.500	0.536	107	40 - 140	
PCB-1260	0.500	0.566	113	60 - 130	

Surrogate	% Rec		Acceptance Limits
Tetrachloro-m-xylene	128		45 - 155
DCB Decachlorobiphenyl	126	X	60 - 125

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: Clean Harbors Environmental Services Inc

Job Number: 580-15162-1

Method Blank - Batch: 580-49405

Method: 6010B
Preparation: 3010A

Lab Sample ID:	MB 580-49405/10-A	Analysis Batch:	580-49465	Instrument ID:	SEA027
Client Matrix:	Water	Prep Batch:	580-49405	Lab File ID:	N/A
Dilution:	1.0	Units:	mg/L	Initial Weight/Volume:	50 mL
Date Analyzed:	08/31/2009 1625			Final Weight/Volume:	50 mL
Date Prepared:	08/31/2009 1028				

Analyte	Result	Qual	RL
Lead	ND		0.030

Lab Control Sample/
Lab Control Sample Duplicate Recovery Report - Batch: 580-49405

Method: 6010B
Preparation: 3010A

LCS Lab Sample ID:	LCS 580-49405/11-A	Analysis Batch:	580-49465	Instrument ID:	SEA027
Client Matrix:	Water	Prep Batch:	580-49405	Lab File ID:	N/A
Dilution:	1.0	Units:	mg/L	Initial Weight/Volume:	50 mL
Date Analyzed:	08/31/2009 1651			Final Weight/Volume:	50 mL
Date Prepared:	08/31/2009 1028				

LCSD Lab Sample ID:	LCSD 580-49405/12-A	Analysis Batch:	580-49465	Instrument ID:	SEA027
Client Matrix:	Water	Prep Batch:	580-49405	Lab File ID:	N/A
Dilution:	1.0	Units:	mg/L	Initial Weight/Volume:	50 mL
Date Analyzed:	08/31/2009 1654			Final Weight/Volume:	50 mL
Date Prepared:	08/31/2009 1028				

	% Rec.						
Analyte	LCS	LCSD	Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
Lead	99	100	80 - 120	0	20		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: Clean Harbors Environmental Services Inc

Job Number: 580-15162-1

Matrix Spike/
Matrix Spike Duplicate Recovery Report - Batch: 580-49405

Method: 6010B
Preparation: 3010A
TCLP

MS Lab Sample ID:	580-15162-1	Analysis Batch: 580-49465		Instrument ID:	SEA027
Client Matrix:	Waste	Prep Batch: 580-49405		Lab File ID:	N/A
Dilution:	1.0			Initial Weight/Volume:	50 mL
Date Analyzed:	08/31/2009 1641			Final Weight/Volume:	50 mL
Date Prepared:	08/31/2009 1028				
Date Leached:	08/28/2009 1416	Leachate Batch: 580-49332			
MSD Lab Sample ID:	580-15162-1	Analysis Batch: 580-49465		Instrument ID:	SEA027
Client Matrix:	Waste	Prep Batch: 580-49405		Lab File ID:	N/A
Dilution:	1.0			Initial Weight/Volume:	50 mL
Date Analyzed:	08/31/2009 1644			Final Weight/Volume:	50 mL
Date Prepared:	08/31/2009 1028				
Date Leached:	08/28/2009 1416	Leachate Batch: 580-49332			

	% Rec.						
Analyte	MS	MSD	Limit	RPD	RPD Limit	MS Qual	MSD Qual
Lead	93	89	50 - 150	4	20		

Duplicate - Batch: 580-49405

Method: 6010B
Preparation: 3010A
TCLP

Lab Sample ID:	580-15162-1	Analysis Batch: 580-49465		Instrument ID:	SEA027
Client Matrix:	Waste	Prep Batch: 580-49405		Lab File ID:	N/A
Dilution:	1.0	Units: mg/L		Initial Weight/Volume:	50 mL
Date Analyzed:	08/31/2009 1637			Final Weight/Volume:	50 mL
Date Prepared:	08/31/2009 1028				
Date Leached:	08/28/2009 1416	Leachate Batch: 580-49332			

Analyte	Sample Result/Qual	Result	RPD	Limit	Qual
Lead	0.031	0.0325	4	20	

Calculations are performed before rounding to avoid round-off errors in calculated results.

CleanHarbors
ENVIRONMENTAL SERVICES®

CHAIN OF CUSTODY RECORD PAGE 1 OF 1

☐ 1 Hill Avenue, Braintree, MA 02184 Tel. (781) 849-1800
☐ 2202 Genoa Red Bluff Road, Houston, TX 77034 Tel. (281) 478-7700
☐ RTE. 2, Box 170, Waynoka, OK 73860 Tel. (580) 697-3500
☐ 5295 S. Garvey Road, Westmorland, CA 92281 Tel. (760) 344-9400
☐ 12400 247th Avenue SE, Sawyer, ND 58781 Tel. (701) 624-5622
☐ Other

Client: Ariel Development Project Name: Rainier Commons Work Order/P.O. #: Date: 8/27/09

Report To: Shawn Estrada Address: 19320 Desmond's removal Drive Bldg D Suite 460 Seatac WA 98148 Phone #: 206-290-0632

Sample I.D.	Sampling Information: Date	Time	Station Location	Sample Matrix	Analysis: 8082/608 PCB	Total Lead	TCLP Lead	Hg								# of con.	CHES Sample #
RC001	8/27	3:35pm		S	X	X	X										
RC002				S	X	X	X										
RC003				S	X	X	X										
RC004				S	X	X	X										
RC005				S	X	X	X										
RC006	↓	↓		L	X	X	X										

Page 21 of 22

Relinquished by Sampler: [signature]
Date: 8/27/09 Time: 5:50pm

Received by: [signature]
Date: 8/27/09 Time: 17:50pm

Relinquished by Sampler: _____
Date: _____ Time: _____

Received by: _____
Date: _____ Time: _____

	VOA Vial	Glass Bottle	Plastic Bottle	Preservation	Volume

DOT Shipping Name:

COMMENTS: (Fax Number, cautions, special instructions)
hand del.
ambient

Standard laboratory turnaround time is 1 week from date of receipt. Accelerated turnaround may be assessed a surcharge.

Location of samples: _____
Turnaround: (24 Hrs.) 48 Hrs. 1 Week Other: _____

09/01/2009

CH 119

OFFICE COPY

RCLLC 0001894

Login Sample Receipt Check List

Client: Clean Harbors Environmental Services Inc

Job Number: 580-15162-1

Login Number: 15162
Creator: Curbow, Heather
List Number: 1

List Source: TestAmerica Tacoma

Question	T / F/ NA	Comment
Radioactivity either was not measured or, if measured, is at or below background	N/A	
The cooler's custody seal, if present, is intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	False	Ambient, hand delivered
Cooler Temperature is acceptable.	N/A	
Cooler Temperature is recorded.	False	Ambient
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	N/A	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Is the Field Sampler's name present on COC?	True	
Sample Preservation Verified	N/A	